





2021 Opportunity Way, Anytown, ST 12345




THIS REPORT IS FOR ESTIMATION PURPOSES ONLY. VERIFY ALL DIMENSIONS AND TOTALS BEFORE PURCHASING MATERIALS.
THIS REPORT IS THE PROPERTY OF SCOPE TECHNOLOGIES, INC. AND MAY NOT BE REPRODUCED WITHOUT WRITTEN CONSENT.



Attic Area Analysis - Structure 1

2021 Opportunity Way, Anytown, ST 12345



Drawing Key

- Insulation
- Roof Outline



		Main Area 1,682 SF	Garage Area 832 SF
23			
22			
21			
20	R60 20"	54 Bags	27 Bags
19			
18			
17	R49 16.5"	44 Bags	22 Bags
16			
15	R44 14.75"	39 Bags	20 Bags
14			
13	R38 13"	33 Bags	17 Bags
12			
11			
10	R30 10.25"	26 Bags	13 Bags
9	R25 8.75"	23 Bags	12 Bags
8			
7	R19 6.5"	16 Bags	8 Bags
6			
5			
4			
3			
2			
1			

Note: The numbers above reflect the number of bags needed to achieve the specified R-Value. Always subtract the existing attic R-Value from the numbers shown above before ordering material.